भिन/Phone: 91-22-6656 5656

-मेल/E-mail:

statemanager@mumbaiport.gov.in वमाईट/Website: www.mumbaiport.gov.in



संपदा अनुभाग, विजयदीप, तीसरा माला, शूरजी वल्लभदास मार्ग, बॅलार्ड इस्टेट,मुंबई - 400 001.

Estate Division, Vijay Deep, 3rd floor, S.V. Marg, Ballard Estate, MUMBAI - 400 001.

AMD







11 8 JUL 2024

Inward No.922 dt.25.06.2024

RT

By Hand delivery/Spl.Ack

सं. ई.एम/ई-12/एआर-38/ 1274

प्रति.

Shri Sharad Pawar Room No.568,9/10, Siddarth Nagar, Tekdi Vibhag, Dr. A.B. Road, Worli, Mumbai – 400 018

महोदय,

Sub: Your application dated 17.06.2024 under R.T.I. Act, 2005 received in this office on 19.06.2024.

With reference to your application under R.T.I.Act,2005 dt.17.06.2024 received in this office on 19.06.2024, it is to be informed that as per Ministry's guidelines under R.T.I. Act, it is not required to create information or to interpret information or to solve problems raised by the applicant or to issue replies to hypothetical questions.

2. With reference to your subject RTI application dated 17.06.2024, received in this office on 19.06.2024, the reply on information sought by you at Sr.No.3(iii)is as under:

Subsequent to legal notice dt. 16.08.2019 for termination of tenancy in respect of Plot of land bearing RR 1174(Plot Nos.24 & 29) and this office reply dt. 25.04.2023 to your RTI it is to inform you that further necessary action under PPE Act has been taken. However the copies of written communication/orders/notices cannot be furnished to you since the information is exempted under section 8(1)(e) of RTI Act, 2005.

3. If you are aggrieved by the above reply/decision, you may prefer an appeal within 30 days from receipt of this reply to the Appellate Authority i.e.

Estate Manager (I/c) & First Appellate Authority, Mumbai Port Authority, 3rd floor, Vijay Deep, S. V. Marg, Ballard Estate, Mumbai 400 001. Telephone No. 022-6656 4071 E-mail ID: estatemanager@mumbaiport.gov.in.

भवदीय,

(जसरकर बोस) उप संपदा प्रवंधक तथा केंदीय जनसूदना अधिकारी

--do--11274

11 8 JUL 2024

_{विकिती} । इस्स (इस्स्व)/एएसएसडी