

**MUMBAI PORT TRUST**  
**ESTATE DEPARTMENT**

EM/RC-162/714

Date : 12.5.2011

**CIRCULAR**

**Without Prejudice**

To,  
All MbPT Tenants/ lessees/ Licencees

Dear Sir,

As you are aware, spread of Malaria is of grave concern in the city of Mumbai. The Municipal Corporation has taken/ is taking active measures and have identified potential breeding sites. With monsoon fast approaching there is need to gear up and ensure all preventive steps to arrest the spread of malaria.

In order to effectively control malaria through effective vector control and parasite control and make your property / area mosquito proof, the directions, guidelines issued by the MCGM from time to time, needs to be followed regularly. Further, the relevant Sections of BMC Act 1886 and other laws pertaining to cleanliness and malaria prevention should be strictly followed. Some of the immediate measures/ steps required to be taken by all the lessees & tenants are given below:

- (i) It should be ensured that there is no water accumulation within your premises and/or the area outside/adjacent thereto. Any leaking storm water drainage or water/ pipes/ taps or other water sources need to be sealed/ plugged/ repaired to ensure that no water accumulation or leakage takes place. Any non-functional overhead tanks and underground tanks should be dismantled/ repaired.
- (ii) Any rubber tyres, plastic tubes, containers exposed to weather and rain water accumulation should be removed and if not possible to be removed, it should be punctured so that no water accumulation takes place within such rubber tyres and containers.
- (iii) No debris and wet garbage should be allowed to be dumped in the open areas and the MCGM standard instructions of separation of wet and dry garbage in disposable plastic bags should strictly be adhered to.
- (iv) The premises should be disinfected by anti-mosquito sprays at repeated intervals as per MCGM's guidelines.

Your earnest co-operation is requested.

Yours faithfully,

**(Saroj Tahiliani)**  
**Estate Manager**